

# Certificate of Analysis

## Central Processors NY, LLC

Contact Person: Dr. Matthew Barry  
East Syracuse, NY 13057  
mattb@centralprocessorsny.com  
(315) 937-5118  
Lic. #OCM-PROC-24-000061

Sample: 2510RLI1038-3956

Strain: Cherry Cola  
Batch#: DR-CCO-0001; Batch Size: 14200 units  
Sample Received: 10/30/2025; Report Created: 11/08/2025;

High Peaks Cherry Cola  
Ingestible, Beverage, Alcohol  
Parent Lot:

### Sampling

Sample Collection Date/Time:  
Sample Collection Site:  
Sampling Firm:  
Sampling Method:  
Sampling Notes/Deviations:



### Safety

|                    |                    |                              |                              |
|--------------------|--------------------|------------------------------|------------------------------|
| Pass<br>Pesticides | Pass<br>Microbials | Pass<br>Mycotoxins           | Not Tested<br>Water Activity |
| Pass<br>Solvents   | Pass<br>Metals     | Not Tested<br>Foreign Matter | Not Tested<br>Moisture       |

### Cannabinoids

|                           |                           |                |
|---------------------------|---------------------------|----------------|
| 9.57 mg/unit<br>Total THC | 4.78 mg/unit<br>Total CBD | NT<br>Moisture |
|---------------------------|---------------------------|----------------|

| Analyte                   | LOQ  | Result       | Result      |
|---------------------------|------|--------------|-------------|
|                           | mg/g | mg/unit      | %           |
| CBDVa                     | 0.00 | <LOQ         | <LOQ        |
| CBDV                      | 0.00 | ND           | ND          |
| CBDa                      | 0.00 | <LOQ         | <LOQ        |
| CBGa                      | 0.00 | ND           | ND          |
| CBG                       | 0.00 | <LOQ         | <LOQ        |
| CBD                       | 0.00 | 4.78         | 0.001       |
| THCV                      | 0.00 | <LOQ         | <LOQ        |
| THCVa                     | 0.00 | ND           | ND          |
| CBN                       | 0.00 | <LOQ         | <LOQ        |
| Δ9-THC                    | 0.00 | 9.57         | 0.003       |
| Δ8-THC                    | 0.00 | ND           | ND          |
| (6aR,9R)-d10-THC          | 0.00 | ND           | ND          |
| (6aR,9S)-d10-THC          | 0.00 | ND           | ND          |
| CBC                       | 0.00 | ND           | ND          |
| THCa                      | 0.00 | ND           | ND          |
| CBCa                      | 0.00 | ND           | ND          |
| <b>Total Cannabinoids</b> |      | <b>14.35</b> | <b>0.00</b> |

Entered By: VJ, Instrument ID: AL2-004  
Method: MTHD-001, Date Tested: 11/08/2025 02:59  
Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-00011



*Amanda Thorning*  
Amanda Thorning  
Laboratory Director

*Violet Josik*  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

## Central Processors NY, LLC

Contact Person: Dr. Matthew Barry  
East Syracuse, NY 13057  
matthb@centralprocessorsny.com  
(315) 937-5118  
Lic. #OCM-PROC-24-000061

## Sample: 2510RLI1038-3956

Strain: Cherry Cola  
Batch#: DR-CCO-0001; Batch Size: 14200 units  
Sample Received: 10/30/2025; Report Created: 11/08/2025;

High Peaks Cherry Cola  
Ingestible, Beverage, Alcohol  
Parent Lot:

### Sampling

Sample Collection Date/Time:  
Sample Collection Site:  
Sampling Firm:  
Sampling Method:  
Sampling Notes/Deviations:

### Residual Solvents

Pass

| Analyte                    | LOQ  | Limit  | Result | Status |
|----------------------------|------|--------|--------|--------|
|                            | PPM  | PPM    | PPM    |        |
| 1,2-Dichloro-Ethane        | 1.0  | 5.0    | ND     | Pass   |
| 2,2-Dimethyl-Butane        | 10.0 |        | ND     | Tested |
| 2,3-Dimethyl-Butane        | 10.0 |        | ND     | Tested |
| 2-Methyl-Pentane           | 10.0 |        | ND     | Tested |
| 3-Methyl-Pentane           | 10.0 |        | ND     | Tested |
| Acetone                    | 10.0 | 5000.0 | ND     | Pass   |
| Acetonitrile               | 10.0 | 410.0  | ND     | Pass   |
| Benzene                    | 1.0  | 2.0    | ND     | Pass   |
| Chloroform                 | 1.0  | 60.0   | ND     | Pass   |
| Dichloromethane            | 10.0 | 600.0  | ND     | Pass   |
| Dimethyl Sulfoxide         | 10.0 | 5000.0 | ND     | Pass   |
| Ethanol                    | 10.0 | 5000.0 | ND     | Pass   |
| Ethyl-Acetate              | 10.0 | 5000.0 | <LOQ   | Pass   |
| Ethyl-Ether                | 10.0 | 5000.0 | ND     | Pass   |
| Heptane                    | 10.0 | 5000.0 | ND     | Pass   |
| Isobutane                  | 10.0 |        | ND     | Tested |
| 2-Methyl-Butane            | 10.0 |        | ND     | Tested |
| Isopropanol                | 10.0 | 5000.0 | ND     | Pass   |
| m+p Xylene                 | 10.0 | 2170.0 | ND     | Pass   |
| Methanol                   | 10.0 | 3000.0 | ND     | Pass   |
| n-Butane                   | 10.0 |        | ND     | Tested |
| Neopentane                 | 10.0 |        | ND     | Tested |
| n-Hexane                   | 10.0 |        | ND     | Tested |
| n-Pentane                  | 10.0 |        | ND     | Tested |
| o-Xylene                   |      |        | ND     | Tested |
| Propane                    | 10.0 | 5000.0 | ND     | Pass   |
| Toluene                    | 10.0 | 890.0  | ND     | Pass   |
| Trichloroethane            | 10.0 | 1500.0 | ND     | Pass   |
| 1,1,1,2-Tetrafluoro-Ethane | 2.0  | 1000.0 | ND     | Pass   |
| Butanes                    |      | 5000.0 | ND     | Pass   |
| Hexanes                    |      | 290.0  | ND     | Pass   |
| Pentanes                   |      | 5000.0 | ND     | Pass   |
| Xylenes                    |      | 2170.0 | ND     | Pass   |

Entered By: VJ, Instrument ID: AL1-001  
Method: MTHD-007, Date Tested: 11/06/2025 12:42  
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported  
Limits for Butanes, Hexanes, Pentanes and Xylenes are to be calculated as a total, individual limits not listed.

### Microbials

Pass

| Analyte               | LOQ   | Limit  | Result  | Status |
|-----------------------|-------|--------|---------|--------|
|                       | CFU/g | CFU/g  | CFU/g   |        |
| Aspergillus flavus    | 1     | Absent | Absence | Pass   |
| Aspergillus fumigatus | 1     | Absent | Absence | Pass   |
| Aspergillus niger     | 1     | Absent | Absence | Pass   |
| Aspergillus terreus   | 1     | Absent | Absence | Pass   |
| Salmonella            | 1     | Absent | Absence | Pass   |
| Shiga Toxin E. Coli   | 1     | Absent | Absence | Pass   |
| Aerobic Bacteria      | 10    | 10000  | ND      | Pass   |
| Yeast & Mold          | 10    | 1000   | ND      | Pass   |

Entered By: MS, Aria Instrument ID: M-001; 3M Instrument ID: M-012  
Aerobic Date Tested: 11/04/2025 17:10  
YM Date Tested: 11/05/2025 14:19 Sal/STEC/Asp Date Tested: 11/05/2025 15:36  
Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

### Heavy Metals

Pass

| Analyte  | LOQ    | Limit     | Result | Status |
|----------|--------|-----------|--------|--------|
|          | PPM    | PPM       | PPM    |        |
| Chromium | 1.0000 | 1100.0000 | ND     | Pass   |
| Nickel   | 0.5000 | 20.0000   | <LOQ   | Pass   |
| Copper   | 1.0000 | 300.0000  | <LOQ   | Pass   |
| Arsenic  | 0.1000 | 1.5000    | ND     | Pass   |
| Cadmium  | 0.1000 | 0.5000    | ND     | Pass   |
| Antimony | 0.5000 | 120.0000  | <LOQ   | Pass   |
| Mercury  | 0.0500 | 3.0000    | ND     | Pass   |
| Lead     | 0.2500 | 0.5000    | <LOQ   | Pass   |

Entered By: BW, Instrument ID: AL2-001  
Method: MTHD-006 Date Tested: 11/05/2025 11:24  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

### Mycotoxins

Pass

| Analyte          | LOQ   | Limit | Result | Status |
|------------------|-------|-------|--------|--------|
|                  | µg/g  | µg/g  | µg/g   |        |
| Aflatoxin B1     | 0.005 | 0.020 | ND     | Pass   |
| Aflatoxin B2     | 0.005 | 0.020 | ND     | Pass   |
| Aflatoxin G1     | 0.005 | 0.020 | ND     | Pass   |
| Aflatoxin G2     | 0.005 | 0.020 | ND     | Pass   |
| Ochratoxin A     | 0.005 | 0.020 | ND     | Pass   |
| Total Aflatoxins |       | 0.020 | ND     | Pass   |

Entered By: AT, Instrument ID: AL1-003  
Method: MTHD-009 Date Tested: 11/07/2025 19:38

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
3 of 8

## Central Processors NY, LLC

Contact Person: Dr. Matthew Barry  
East Syracuse, NY 13057  
mattb@centralprocessorsny.com  
(315) 937-5118  
Lic. #OCM-PROC-24-000061

Sample: 2510RLI1038-3956

Strain: Cherry Cola  
Batch#: DR-CCO-0001; Batch Size: 14200 units  
Sample Received: 10/30/2025; Report Created: 11/08/2025;

High Peaks Cherry Cola  
Ingestible, Beverage, Alcohol  
Parent Lot:

### Sampling

Sample Collection Date/Time:  
Sample Collection Site:  
Sampling Firm:  
Sampling Method:  
Sampling Notes/Deviations:

## Terpenes

## Complete

## Primary Aromas

| Analyte                | LOQ    | Result | Result |
|------------------------|--------|--------|--------|
|                        | %      | %      | mg/g   |
| $\alpha$ -Bisabolol    | 0.0125 | ND     | ND     |
| $\alpha$ -Humulene     | 0.0125 | ND     | ND     |
| $\alpha$ -Phellandrene | 0.0125 | ND     | ND     |
| $\alpha$ -Pinene       | 0.0125 | ND     | ND     |
| $\alpha$ -Terpinene    | 0.0125 | ND     | ND     |
| $\beta$ -Caryophyllene | 0.0125 | ND     | ND     |
| $\beta$ -Myrcene       | 0.0125 | ND     | ND     |
| $\beta$ -Pinene        | 0.0125 | ND     | ND     |
| Camphene               | 0.0125 | ND     | ND     |
| Caryophyllene Oxide    | 0.0125 | ND     | ND     |
| Farnesene              | 0.0125 | ND     | ND     |
| Fenchol                | 0.0125 | ND     | ND     |
| Geraniol               | 0.0125 | ND     | ND     |
| Guaiol                 | 0.0125 | ND     | ND     |
| Limonene               | 0.0125 | ND     | ND     |
| Linalool               | 0.0125 | ND     | ND     |
| Ocimene                | 0.0125 | ND     | ND     |
| Terpineol              | 0.0125 | ND     | ND     |
| Terpinolene            | 0.0125 | ND     | ND     |
| Valencene              | 0.0125 | ND     | ND     |

0.0000%

Total Terpenes

Entered By: VJ, Instrument ID: AL1-001  
Method: MTHD-005, Date Tested: 11/04/2025 15:40

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

## Central Processors NY, LLC

Contact Person: Dr. Matthew Barry  
East Syracuse, NY 13057  
mattb@centralprocessorsny.com  
(315) 937-5118  
Lic. #OCM-PROC-24-000061

Sample: 2510RLI1038-3956

Strain: Cherry Cola  
Batch#: DR-CCO-0001; Batch Size: 14200 units  
Sample Received: 10/30/2025; Report Created: 11/08/2025;

High Peaks Cherry Cola  
Ingestible, Beverage, Alcohol  
Parent Lot:

### Sampling

Sample Collection Date/Time:  
Sample Collection Site:  
Sampling Firm:  
Sampling Method:  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte              | LOQ  | Limit | Result | Status |
|----------------------|------|-------|--------|--------|
|                      | PPM  | PPM   | PPM    |        |
| Abamectin            | 0.05 | 0.50  | ND     | Pass   |
| Acephate             | 0.05 | 0.40  | ND     | Pass   |
| Acequinocyl          | 0.05 | 2.00  | ND     | Pass   |
| Acetamiprid          | 0.05 | 0.20  | ND     | Pass   |
| Aldicarb             | 0.05 | 0.40  | ND     | Pass   |
| Avermectin-B1a       |      |       | ND     | Tested |
| Avermectin-B1b       |      |       | ND     | Tested |
| Azadirachtin         | 0.25 | 1.00  | ND     | Pass   |
| Azoxystrobin         | 0.05 | 0.20  | ND     | Pass   |
| Bifenazate           | 0.05 | 0.20  | ND     | Pass   |
| Bifenthrin           | 0.05 | 0.20  | ND     | Pass   |
| Boscalid             | 0.05 | 0.40  | ND     | Pass   |
| Captan               | 0.50 | 1.00  | ND     | Pass   |
| Carbaryl             | 0.05 | 0.20  | ND     | Pass   |
| Carbofuran           | 0.05 | 0.20  | ND     | Pass   |
| Chlorantraniliprole  | 0.05 | 0.20  | ND     | Pass   |
| Chlordane            | 0.50 | 1.00  | ND     | Pass   |
| Chlorfenapyr         | 0.50 | 1.00  | ND     | Pass   |
| Chlormequat chloride | 0.05 | 1.00  | ND     | Pass   |
| Chlorpyrifos         | 0.05 | 0.20  | ND     | Pass   |
| Cinerin 1            |      |       | ND     | Tested |
| Clofentezine         | 0.05 | 0.20  | ND     | Pass   |
| Coumaphos            | 0.05 | 1.00  | ND     | Pass   |
| Cyfluthrin           | 0.05 | 1.00  | ND     | Pass   |
| Cypermethrin         | 0.05 | 1.00  | ND     | Pass   |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 11/06/2025 17:49

LC Method: MTHD-009 LC Date Tested: 11/07/2025 19:38

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
5 of 8

## Central Processors NY, LLC

Contact Person: Dr. Matthew Barry  
East Syracuse, NY 13057  
mattb@centralprocessorsny.com  
(315) 937-5118  
Lic. #OCM-PROC-24-000061

Sample: 2510RLI1038-3956

Strain: Cherry Cola  
Batch#: DR-CCO-0001; Batch Size: 14200 units  
Sample Received: 10/30/2025; Report Created: 11/08/2025;

High Peaks Cherry Cola  
Ingestible, Beverage, Alcohol  
Parent Lot:

### Sampling

Sample Collection Date/Time:  
Sample Collection Site:  
Sampling Firm:  
Sampling Method:  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte            | LOQ  | Limit | Result | Status |
|--------------------|------|-------|--------|--------|
|                    | PPM  | PPM   | PPM    |        |
| Daminozide         | 0.05 | 1.00  | ND     | Pass   |
| Diazinon           | 0.05 | 0.20  | ND     | Pass   |
| Dichlorvos         | 0.05 | 1.00  | ND     | Pass   |
| Dimethoate         | 0.05 | 0.20  | ND     | Pass   |
| Dimethomorph       | 0.05 | 1.00  | ND     | Pass   |
| Ethoprophos        | 0.05 | 0.20  | ND     | Pass   |
| Etofenprox         | 0.05 | 0.40  | ND     | Pass   |
| Etoxazole          | 0.05 | 0.20  | ND     | Pass   |
| Fenhexamid         | 0.05 | 1.00  | ND     | Pass   |
| Fenoxycarb         | 0.05 | 0.20  | ND     | Pass   |
| Fenpyroximate      | 0.05 | 0.40  | ND     | Pass   |
| Fipronil           | 0.05 | 0.40  | ND     | Pass   |
| Flonicamid         | 0.05 | 1.00  | ND     | Pass   |
| Fludioxonil        | 0.05 | 0.40  | ND     | Pass   |
| Hexythiazox        | 0.05 | 1.00  | ND     | Pass   |
| Imazalil           | 0.05 | 0.20  | ND     | Pass   |
| Imidacloprid       | 0.05 | 0.40  | ND     | Pass   |
| Indolebutyric Acid | 0.05 | 1.00  | ND     | Pass   |
| Jasmolin 1         |      |       | ND     | Tested |
| Kresoxim Methyl    | 0.05 | 0.40  | ND     | Pass   |
| Malathion          | 0.05 | 0.20  | ND     | Pass   |
| Metalaxyl          | 0.05 | 0.20  | ND     | Pass   |
| Methiocarb         | 0.05 | 0.20  | ND     | Pass   |
| Methomyl           | 0.05 | 0.40  | ND     | Pass   |
| Methyl Parathion   | 0.10 | 0.20  | ND     | Pass   |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
GC Method: MTHD-008 GC Date Tested: 11/06/2025 17:49  
LC Method: MTHD-009 LC Date Tested: 11/07/2025 19:38  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
6 of 8

## Central Processors NY, LLC

Contact Person: Dr. Matthew Barry  
East Syracuse, NY 13057  
mattb@centralprocessorsny.com  
(315) 937-5118  
Lic. #OCM-PROC-24-000061

Sample: 2510RLI1038-3956

Strain: Cherry Cola  
Batch#: DR-CCO-0001; Batch Size: 14200 units  
Sample Received: 10/30/2025; Report Created: 11/08/2025;

High Peaks Cherry Cola  
Ingestible, Beverage, Alcohol  
Parent Lot:

### Sampling

Sample Collection Date/Time:  
Sample Collection Site:  
Sampling Firm:  
Sampling Method:  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte                 | LOQ  | Limit | Result | Status |
|-------------------------|------|-------|--------|--------|
|                         | PPM  | PPM   | PPM    |        |
| Mevinphos               | 0.05 | 1.00  | ND     | Pass   |
| MGK-264                 | 0.05 | 0.20  | ND     | Pass   |
| Myclobutanil            | 0.05 | 0.20  | ND     | Pass   |
| Naled                   | 0.05 | 0.50  | ND     | Pass   |
| Oxamyl                  | 0.05 | 1.00  | ND     | Pass   |
| Paclobutrazol           | 0.05 | 0.40  | ND     | Pass   |
| Pentachloronitrobenzene | 0.50 | 1.00  | ND     | Pass   |
| Permethrins             | 0.05 | 0.20  | ND     | Pass   |
| Phosmet                 | 0.05 | 0.20  | ND     | Pass   |
| Piperonyl Butoxide      | 0.05 | 2.00  | ND     | Pass   |
| Prallethrin             | 0.05 | 0.20  | ND     | Pass   |
| Propiconazole           | 0.05 | 0.40  | ND     | Pass   |
| Propoxur                | 0.05 | 0.20  | ND     | Pass   |
| Pyrethrin 1             |      |       | ND     | Tested |
| Pyrethrin 2             |      |       | ND     | Tested |
| Pyrethrins              | 0.05 | 1.00  | ND     | Pass   |
| Pyridaben               | 0.05 | 0.20  | ND     | Pass   |
| Spinetoram              | 0.05 | 1.00  | ND     | Pass   |
| Spinetoram J            |      |       | ND     | Tested |
| Spinetoram L            |      |       | ND     | Tested |
| Spinosad                | 0.05 | 0.20  | ND     | Pass   |
| Spinosyn A              |      |       | ND     | Tested |
| Spinosyn D              |      |       | ND     | Tested |
| Spiromesifen            | 0.05 | 0.20  | ND     | Pass   |
| Spirotetramat           | 0.05 | 0.20  | ND     | Pass   |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 11/06/2025 17:49

LC Method: MTHD-009 LC Date Tested: 11/07/2025 19:38

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
7 of 8

## Central Processors NY, LLC

Contact Person: Dr. Matthew Barry  
East Syracuse, NY 13057  
mattb@centralprocessorsny.com  
(315) 937-5118  
Lic. #OCM-PROC-24-000061

Sample: 2510RLI1038-3956

Strain: Cherry Cola  
Batch#: DR-CCO-0001; Batch Size: 14200 units  
Sample Received: 10/30/2025; Report Created: 11/08/2025;

High Peaks Cherry Cola  
Ingestible, Beverage, Alcohol  
Parent Lot:

### Sampling

Sample Collection Date/Time:  
Sample Collection Site:  
Sampling Firm:  
Sampling Method:  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte         | LOQ  | Limit | Result | Status |
|-----------------|------|-------|--------|--------|
|                 | PPM  | PPM   | PPM    |        |
| Spiroxamine     | 0.05 | 0.20  | ND     | Pass   |
| Tebuconazole    | 0.05 | 0.40  | ND     | Pass   |
| Thiacloprid     | 0.05 | 0.20  | ND     | Pass   |
| Thiamethoxam    | 0.05 | 0.20  | ND     | Pass   |
| Trifloxystrobin | 0.05 | 0.20  | ND     | Pass   |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
GC Method: MTHD-008 GC Date Tested: 11/06/2025 17:49  
LC Method: MTHD-009 LC Date Tested: 11/07/2025 19:38  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

## Central Processors NY, LLC

Contact Person: Dr. Matthew Barry  
East Syracuse, NY 13057  
mattb@centralprocessorsny.com  
(315) 937-5118  
Lic. #OCM-PROC-24-000061

Sample: 2510RLI1038-3956

Strain: Cherry Cola  
Batch#: DR-CCO-0001; Batch Size: 14200 units  
Sample Received: 10/30/2025; Report Created: 11/08/2025;

High Peaks Cherry Cola  
Ingestible, Beverage, Alcohol  
Parent Lot:

### Sampling

Sample Collection Date/Time:  
Sample Collection Site:  
Sampling Firm:  
Sampling Method:  
Sampling Notes/Deviations:

## Homogeneity

4%

Limit: 25%

Pass

$\Delta$ 9-THC

5%

Limit: 25%

Pass

CBD

Date Tested: 11/08/2025

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-00011



  
Amanda Thorning  
Laboratory Director

  
Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.