

Certificate of Analysis

Central Processors NY, LLC

Contact Person: Dr. Matthew Barry
 East Syracuse, NY 13057
 mattb@centralprocessorsny.com
 (315) 937-5118
 Lic. #OCM-PROC-24-000061

Sample: 2510RLI0944-3551

Strain: Sparkling Strawberry Lemonade
 Batch#: DR-STL-0006; Batch Size: 14200 units
 Sample Received: 10/09/2025; Report Created: 10/15/2025;

Sparkling Strawberry Lemonade

Ingestible, Beverage, Alcohol
 Parent Lot:

Sampling

Sample Collection Date/Time: 10/09/25
 Sample Collection Site:
 Sampling Firm:
 Sampling Method:
 Sampling Notes/Deviations:



Safety

| | | | |
|---------------------------|---------------------------|-------------------------------------|-------------------------------------|
| Pass Pesticides | Pass Microbials | Pass Mycotoxins | Not Tested Water Activity |
| Pass Solvents | Pass Metals | Not Tested Foreign Matter | Not Tested Moisture |

Cannabinoids

| | | |
|----------------------------------|----------------------------------|-----------------------|
| 9.15 mg/unit Total THC | 5.72 mg/unit Total CBD | NT Moisture |
|----------------------------------|----------------------------------|-----------------------|

| Analyte | LOQ | Result | Result |
|---------------------------|------|--------------|-------------|
| | mg/g | mg/unit | % |
| CBDVa | 0.00 | 1.90 | 0.001 |
| CBDV | 0.00 | ND | ND |
| CBDa | 0.00 | ND | ND |
| CBGa | 0.00 | ND | ND |
| CBG | 0.00 | ND | ND |
| CBD | 0.00 | 5.72 | 0.002 |
| THCV | 0.00 | ND | ND |
| THCVa | 0.00 | ND | ND |
| CBN | 0.00 | ND | ND |
| Δ9-THC | 0.00 | 9.15 | 0.003 |
| Δ8-THC | 0.00 | ND | ND |
| (6aR,9R)-d10-THC | 0.00 | ND | ND |
| (6aR,9S)-d10-THC | 0.00 | ND | ND |
| CBC | 0.00 | ND | ND |
| THCa | 0.00 | ND | ND |
| CBCa | 0.00 | ND | ND |
| Total Cannabinoids | | 16.77 | 0.00 |

Entered By: VJ, Instrument ID: AL2-004
 Method: MTHD-001, Date Tested: 10/10/2025 18:46
 Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
<http://www.drstesting.com>
 Lic# OCM-CPL-00011



Amanda Thorning
 Laboratory Director

Violet Josik
 Quality Assurance Officer



Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
2 of 7

Central Processors NY, LLC

Contact Person: Dr. Matthew Barry
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5118
Lic. #OCM-PROC-24-000061

Sample: 2510RLI0944-3551

Strain: Sparkling Strawberry Lemonade
Batch#: DR-STL-0006; Batch Size: 14200 units
Sample Received: 10/09/2025; Report Created: 10/15/2025;

Sparkling Strawberry Lemonade

Ingestible, Beverage, Alcohol
Parent Lot:

Sampling

Sample Collection Date/Time: 10/09/25
Sample Collection Site:
Sampling Firm:
Sampling Method:
Sampling Notes/Deviations:

Residual Solvents

Pass

| Analyte | LOQ | Limit | Result | Status |
|----------------------------|------|--------|--------|--------|
| | PPM | PPM | PPM | |
| 1,2-Dichloro-Ethane | 1.0 | 5.0 | ND | Pass |
| 2,2-Dimethyl-Butane | 10.0 | | ND | Tested |
| 2,3-Dimethyl-Butane | 10.0 | | ND | Tested |
| 2-Methyl-Pentane | 10.0 | | ND | Tested |
| 3-Methyl-Pentane | 10.0 | | ND | Tested |
| Acetone | 10.0 | 5000.0 | ND | Pass |
| Acetonitrile | 10.0 | 410.0 | ND | Pass |
| Benzene | 1.0 | 2.0 | ND | Pass |
| Chloroform | 1.0 | 60.0 | ND | Pass |
| Dichloromethane | 10.0 | 600.0 | ND | Pass |
| Dimethyl Sulfoxide | 10.0 | 5000.0 | ND | Pass |
| Ethanol | 10.0 | 5000.0 | 621.0 | Pass |
| Ethyl-Acetate | 10.0 | 5000.0 | ND | Pass |
| Ethyl-Ether | 10.0 | 5000.0 | ND | Pass |
| Heptane | 10.0 | 5000.0 | ND | Pass |
| Isobutane | 10.0 | | <LOQ | Tested |
| 2-Methyl-Butane | 10.0 | | ND | Tested |
| Isopropanol | 10.0 | 5000.0 | ND | Pass |
| m+p Xylene | 10.0 | 2170.0 | ND | Pass |
| Methanol | 10.0 | 3000.0 | ND | Pass |
| n-Butane | 10.0 | | ND | Tested |
| Neopentane | 10.0 | | ND | Tested |
| n-Hexane | 10.0 | | ND | Tested |
| n-Pentane | 10.0 | | ND | Tested |
| o-Xylene | | | ND | Tested |
| Propane | 10.0 | 5000.0 | ND | Pass |
| Toluene | 10.0 | 890.0 | ND | Pass |
| Trichloroethane | 10.0 | 1500.0 | ND | Pass |
| 1,1,1,2-Tetrafluoro-Ethane | 2.0 | 1000.0 | ND | Pass |
| Butanes | | 5000.0 | ND | Pass |
| Hexanes | | 290.0 | ND | Pass |
| Pentanes | | 5000.0 | ND | Pass |
| Xylenes | | 2170.0 | ND | Pass |

Entered By: MS, Instrument ID: AL1-001
Method: MTHD-007, Date Tested: 10/11/2025 4:40
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported
Limits for Butanes, Hexanes, Pentanes and Xylenes are to be calculated as a total, individual limits not listed.

Microbials

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------------|-------|--------|---------|--------|
| | CFU/g | CFU/g | CFU/g | |
| Aspergillus flavus | 1 | Absent | Absence | Pass |
| Aspergillus fumigatus | 1 | Absent | Absence | Pass |
| Aspergillus niger | 1 | Absent | Absence | Pass |
| Aspergillus terreus | 1 | Absent | Absence | Pass |
| Salmonella | 1 | Absent | Absence | Pass |
| Shiga Toxin E. Coli | 1 | Absent | Absence | Pass |
| Aerobic Bacteria | 10 | 10000 | ND | Pass |
| Yeast & Mold | 10 | 1000 | ND | Pass |

Entered By: MS, Aria Instrument ID: M-001; 3M Instrument ID: M-012
Aerobic Date Tested: 10/11/2025 13:30
YM Date Tested: 10/12/2025 11:12 Sal/STEC/Asp Date Tested: 10/13/2025 13:29
Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

Heavy Metals

Pass

| Analyte | LOQ | Limit | Result | Status |
|----------|--------|-----------|--------|--------|
| | PPM | PPM | PPM | |
| Chromium | 1.0000 | 1100.0000 | <LOQ | Pass |
| Nickel | 0.5000 | 20.0000 | <LOQ | Pass |
| Copper | 1.0000 | 300.0000 | <LOQ | Pass |
| Arsenic | 0.1000 | 1.5000 | ND | Pass |
| Cadmium | 0.1000 | 0.5000 | ND | Pass |
| Antimony | 0.5000 | 120.0000 | <LOQ | Pass |
| Mercury | 0.0500 | 3.0000 | ND | Pass |
| Lead | 0.2500 | 0.5000 | <LOQ | Pass |

Entered By: BW, Instrument ID: AL2-001
Method: MTHD-006 Date Tested: 10/10/2025 15:40
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

Mycotoxins

Pass

| Analyte | LOQ | Limit | Result | Status |
|------------------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | |
| Aflatoxin B1 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin B2 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin G1 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin G2 | 0.005 | 0.020 | ND | Pass |
| Ochratoxin A | 0.005 | 0.020 | ND | Pass |
| Total Aflatoxins | | 0.020 | ND | Pass |

Entered By: AT, Instrument ID: AL1-003
Method: MTHD-009 Date Tested: 10/11/2025 06:06

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
3 of 7

Central Processors NY, LLC

Contact Person: Dr. Matthew Barry
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5118
Lic. #OCM-PROC-24-000061

Sample: 2510RLI0944-3551

Strain: Sparkling Strawberry Lemonade
Batch#: DR-STL-0006; Batch Size: 14200 units
Sample Received: 10/09/2025; Report Created: 10/15/2025;

Sparkling Strawberry Lemonade

Ingestible, Beverage, Alcohol
Parent Lot:

Sampling

Sample Collection Date/Time: 10/09/25
Sample Collection Site:
Sampling Firm:
Sampling Method:
Sampling Notes/Deviations:

Terpenes

Complete

Primary Aromas

| Analyte | LOQ | Result | Result |
|---------------------|--------|--------|--------|
| | % | % | mg/g |
| α-Bisabolol | 0.0125 | ND | ND |
| α-Humulene | 0.0125 | ND | ND |
| α-Phellandrene | 0.0125 | ND | ND |
| α-Pinene | 0.0125 | ND | ND |
| α-Terpinene | 0.0125 | ND | ND |
| β-Caryophyllene | 0.0125 | ND | ND |
| β-Myrcene | 0.0125 | ND | ND |
| β-Pinene | 0.0125 | ND | ND |
| Camphene | 0.0125 | ND | ND |
| Caryophyllene Oxide | 0.0125 | ND | ND |
| Farnesene | 0.0125 | ND | ND |
| Fenchol | 0.0125 | ND | ND |
| Geraniol | 0.0125 | <LOQ | <LOQ |
| Guaiol | 0.0125 | ND | ND |
| Limonene | 0.0125 | ND | ND |
| Linalool | 0.0125 | ND | ND |
| Ocimene | 0.0125 | ND | ND |
| Terpineol | 0.0125 | ND | ND |
| Terpinolene | 0.0125 | ND | ND |
| Valencene | 0.0125 | ND | ND |

0.0000%
Total Terpenes

Entered By: MS, Instrument ID: AL1-001
Method: MTHD-005, Date Tested: 10/14/2025 10:42

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
4 of 7

Central Processors NY, LLC

Contact Person: Dr. Matthew Barry
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5118
Lic. #OCM-PROC-24-000061

Sample: 2510RLI0944-3551

Strain: Sparkling Strawberry Lemonade
Batch#: DR-STL-0006; Batch Size: 14200 units
Sample Received: 10/09/2025; Report Created: 10/15/2025;

Sparkling Strawberry Lemonade

Ingestible, Beverage, Alcohol
Parent Lot:

Sampling

Sample Collection Date/Time: 10/09/25
Sample Collection Site:
Sampling Firm:
Sampling Method:
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Abamectin | 0.05 | 0.50 | ND | Pass |
| Acephate | 0.05 | 0.40 | ND | Pass |
| Acequinocyl | 0.05 | 2.00 | ND | Pass |
| Acetamiprid | 0.05 | 0.20 | ND | Pass |
| Aldicarb | 0.05 | 0.40 | ND | Pass |
| Avermectin-B1a | | | ND | Tested |
| Avermectin-B1b | | | ND | Tested |
| Azadirachtin | 0.25 | 1.00 | ND | Pass |
| Azoxystrobin | 0.05 | 0.20 | ND | Pass |
| Bifenazate | 0.05 | 0.20 | ND | Pass |
| Bifenthrin | 0.05 | 0.20 | ND | Pass |
| Boscalid | 0.05 | 0.40 | ND | Pass |
| Captan | 0.50 | 1.00 | ND | Pass |
| Carbaryl | 0.05 | 0.20 | ND | Pass |
| Carbofuran | 0.05 | 0.20 | ND | Pass |
| Chlorantraniliprole | 0.05 | 0.20 | ND | Pass |
| Chlordane | 0.50 | 1.00 | ND | Pass |
| Chlorfenapyr | 0.50 | 1.00 | ND | Pass |
| Chloromequat chloride | 0.05 | 1.00 | ND | Pass |
| Chlorpyrifos | 0.05 | 0.20 | ND | Pass |
| Cinerin 1 | | | ND | Tested |
| Clofentezine | 0.05 | 0.20 | ND | Pass |
| Coumaphos | 0.05 | 1.00 | ND | Pass |
| Cyfluthrin | 0.05 | 1.00 | ND | Pass |
| Cypermethrin | 0.05 | 1.00 | ND | Pass |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 10/09/2025 23:15
LC Method: MTHD-009 LC Date Tested: 10/11/2025 06:06
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
5 of 7

Central Processors NY, LLC

Contact Person: Dr. Matthew Barry
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5118
Lic. #OCM-PROC-24-000061

Sample: 2510RLI0944-3551

Strain: Sparkling Strawberry Lemonade
Batch#: DR-STL-0006; Batch Size: 14200 units
Sample Received: 10/09/2025; Report Created: 10/15/2025;

Sparkling Strawberry Lemonade

Ingestible, Beverage, Alcohol
Parent Lot:

Sampling

Sample Collection Date/Time: 10/09/25
Sample Collection Site:
Sampling Firm:
Sampling Method:
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|--------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Daminozide | 0.05 | 1.00 | ND | Pass |
| Diazinon | 0.05 | 0.20 | ND | Pass |
| Dichlorvos | 0.05 | 1.00 | ND | Pass |
| Dimethoate | 0.05 | 0.20 | ND | Pass |
| Dimethomorph | 0.05 | 1.00 | ND | Pass |
| Ethoprophos | 0.05 | 0.20 | ND | Pass |
| Etofenprox | 0.05 | 0.40 | ND | Pass |
| Etoazole | 0.05 | 0.20 | ND | Pass |
| Fenhexamid | 0.05 | 1.00 | ND | Pass |
| Fenoxycarb | 0.05 | 0.20 | ND | Pass |
| Fenpyroximate | 0.05 | 0.40 | ND | Pass |
| Fipronil | 0.05 | 0.40 | ND | Pass |
| Fonicamid | 0.05 | 1.00 | ND | Pass |
| Fludioxonil | 0.05 | 0.40 | ND | Pass |
| Hexythiazox | 0.05 | 1.00 | ND | Pass |
| Imazalil | 0.05 | 0.20 | ND | Pass |
| Imidacloprid | 0.05 | 0.40 | ND | Pass |
| Indolebutyric Acid | 0.05 | 1.00 | ND | Pass |
| Jasmolin 1 | | | ND | Tested |
| Kresoxim Methyl | 0.05 | 0.40 | ND | Pass |
| Malathion | 0.05 | 0.20 | ND | Pass |
| Metalaxyl | 0.05 | 0.20 | ND | Pass |
| Methiocarb | 0.05 | 0.20 | ND | Pass |
| Methomyl | 0.05 | 0.40 | ND | Pass |
| Methyl Parathion | 0.10 | 0.20 | ND | Pass |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 10/09/2025 23:15
LC Method: MTHD-009 LC Date Tested: 10/11/2025 06:06
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
6 of 7

Central Processors NY, LLC

Contact Person: Dr. Matthew Barry
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5118
Lic. #OCM-PROC-24-000061

Sample: 2510RLI0944-3551

Strain: Sparkling Strawberry Lemonade
Batch#: DR-STL-0006; Batch Size: 14200 units
Sample Received: 10/09/2025; Report Created: 10/15/2025;

Sparkling Strawberry Lemonade

Ingestible, Beverage, Alcohol
Parent Lot:

Sampling

Sample Collection Date/Time: 10/09/25
Sample Collection Site:
Sampling Firm:
Sampling Method:
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-------------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Mevinphos | 0.05 | 1.00 | ND | Pass |
| MGK-264 | 0.05 | 0.20 | ND | Pass |
| Myclobutanil | 0.05 | 0.20 | ND | Pass |
| Naled | 0.05 | 0.50 | ND | Pass |
| Oxamyl | 0.05 | 1.00 | ND | Pass |
| Paclobutrazol | 0.05 | 0.40 | ND | Pass |
| Pentachloronitrobenzene | 0.50 | 1.00 | ND | Pass |
| Permethrins | 0.05 | 0.20 | ND | Pass |
| Phosmet | 0.05 | 0.20 | ND | Pass |
| Piperonyl Butoxide | 0.05 | 2.00 | ND | Pass |
| Prallethrin | 0.05 | 0.20 | ND | Pass |
| Propiconazole | 0.05 | 0.40 | ND | Pass |
| Propoxur | 0.05 | 0.20 | ND | Pass |
| Pyrethrin 1 | | | ND | Tested |
| Pyrethrin 2 | | | ND | Tested |
| Pyrethrins | 0.05 | 1.00 | ND | Pass |
| Pyridaben | 0.05 | 0.20 | ND | Pass |
| Spinetoram | 0.05 | 1.00 | ND | Pass |
| Spinetoram J | | | ND | Tested |
| Spinetoram L | | | ND | Tested |
| Spinosad | 0.05 | 0.20 | ND | Pass |
| Spinosyn A | | | ND | Tested |
| Spinosyn D | | | ND | Tested |
| Spiromesifen | 0.05 | 0.20 | ND | Pass |
| Spirotetramat | 0.05 | 0.20 | ND | Pass |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 10/09/2025 23:15
LC Method: MTHD-009 LC Date Tested: 10/11/2025 06:06
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
7 of 7

Central Processors NY, LLC

Contact Person: Dr. Matthew Barry
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5118
Lic. #OCM-PROC-24-000061

Sample: 2510RLI0944-3551

Strain: Sparkling Strawberry Lemonade
Batch#: DR-STL-0006; Batch Size: 14200 units
Sample Received: 10/09/2025; Report Created: 10/15/2025;

Sparkling Strawberry Lemonade

Ingestible, Beverage, Alcohol
Parent Lot:

Sampling

Sample Collection Date/Time: 10/09/25
Sample Collection Site:
Sampling Firm:
Sampling Method:
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Spiroxamine | 0.05 | 0.20 | ND | Pass |
| Tebuconazole | 0.05 | 0.40 | ND | Pass |
| Thiacloprid | 0.05 | 0.20 | ND | Pass |
| Thiamethoxam | 0.05 | 0.20 | ND | Pass |
| Trifloxystrobin | 0.05 | 0.20 | ND | Pass |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
GC Method: MTHD-008 GC Date Tested: 10/09/2025 23:15
LC Method: MTHD-009 LC Date Tested: 10/11/2025 06:06
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.