



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
1 of 3

Central Processors NY, LLC

Contact Person: Matthew Barry
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5718
Lic. #OCM-PROC-24-000061

Sample: 2503RLI0177-0654

Strain: ATFxSODO
Batch#: PR-ATF-0002; Batch Size: 2134 units
Sample Received: 03/11/2025; Report Created: 03/20/2025;

High Peaks ATFxSODO PreRoll 2pk

Plant, Preroll, Greenhouse
WF-ATF-0002

Sampling

Sample Collection Date/Time: 03/11/25 13:10
Sample Collection Site: Central Processors NY
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:



Safety

| | | |
|--------------------------|--------------------|--------------------------|
| Not Tested Pesticides | Pass Microbials | Not Tested Mycotoxins |
| Not Tested Solvents | Pass Metals | Pass Foreign Matter |

Cannabinoids

| | | |
|-----------------|-----------------|------------------|
| NT Total THC | NT Total CBD | 9.6% Moisture |
|-----------------|-----------------|------------------|

Analyte LOQ Result Result

Entered By: , Instrument ID:
Method: , Date Tested:

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-2022-00011



Amanda Thorning
Laboratory Director

Violet Josik
Quality Assurance Officer



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
 Powered by Confident LIMS
 2 of 3

Central Processors NY, LLC

Contact Person: Matthew Barry
 East Syracuse, NY 13057
 mattb@centralprocessorsny.com
 (315) 937-5718
 Lic. #OCM-PROC-24-000061

Sample: 2503RLI0177-0654

Strain: ATFxSODO
 Batch#: PR-ATF-0002; Batch Size: 2134 units
 Sample Received: 03/11/2025; Report Created: 03/20/2025;

High Peaks ATFxSODO PreRoll 2pk

Plant, Preroll, Greenhouse
 WF-ATF-0002

Sampling

Sample Collection Date/Time: 03/11/25 13:10
 Sample Collection Site: Central Processors NY
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Residual Solvents

Not Tested

| Analyte | LOQ | Limit | Result | Status |
|---------|-----|-------|--------|--------|
|---------|-----|-------|--------|--------|

Microbials

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------------|-------|--------|---------|--------|
| | CFU/g | CFU/g | CFU/g | |
| Aspergillus flavus | 1 | Absent | Absence | Pass |
| Aspergillus fumigatus | 1 | Absent | Absence | Pass |
| Aspergillus niger | 1 | Absent | Absence | Pass |
| Aspergillus terreus | 1 | Absent | Absence | Pass |
| Salmonella | 1 | Absent | Absence | Pass |
| Shiga Toxin E. Coli | 1 | Absent | Absence | Pass |
| Aerobic Bacteria | 10 | N/A | 76000 | Tested |
| Yeast & Mold | 10 | N/A | 4400 | Tested |

Entered By: VJ, Aria Instrument ID: M-001; 3M Instrument ID: M-012
 Aerobic Date Tested: 03/14/2025 14:17
 YM Date Tested: 03/14/2025 13:19 Sal/STEC/Asp Date Tested: 03/13/2025 10:19
 Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

Heavy Metals

Pass

| Analyte | LOQ | Limit | Result | Status |
|----------|--------|-----------|---------|--------|
| | PPM | PPM | PPM | |
| Chromium | 1.0000 | 1100.0000 | ND | Pass |
| Nickel | 0.5000 | 5.0000 | <LOQ | Pass |
| Copper | 1.0000 | 30.0000 | 15.6757 | Pass |
| Arsenic | 0.1000 | 0.2000 | <LOQ | Pass |
| Cadmium | 0.1000 | 0.2000 | <LOQ | Pass |
| Antimony | 0.5000 | 2.0000 | ND | Pass |
| Mercury | 0.0500 | 0.1000 | ND | Pass |
| Lead | 0.2500 | 0.5000 | <LOQ | Pass |

Entered By: AT, Instrument ID: AL2-001
 Method: MTHD-006 Date Tested: 03/14/2025 13:44:04
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
 ND = Not Detected; NT = Not Tested; NR = Not Reported

Mycotoxins

Not Tested

| Analyte | LOQ | Limit | Result | Status |
|---------|-----|-------|--------|--------|
|---------|-----|-------|--------|--------|

Entered By: , Instrument ID:
 Method: , Date Tested:

Entered By: , Instrument ID:
 Method: Date Tested:

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
<http://www.drstesting.com>
 Lic# OCM-CPL-2022-00011



Amanda Thorning
 Laboratory Director

Violet Josik
 Quality Assurance Officer



Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
 Powered by Confident LIMS
 3 of 3

Central Processors NY, LLC

Contact Person: Matthew Barry
 East Syracuse, NY 13057
 mattb@centralprocessorsny.com
 (315) 937-5718
 Lic. #OCM-PROC-24-000061

Sample: 2503RLI0177-0654

Strain: ATFxSODO
 Batch#: PR-ATF-0002; Batch Size: 2134 units
 Sample Received: 03/11/2025; Report Created: 03/20/2025;

High Peaks ATFxSODO PreRoll 2pk

Plant, Preroll, Greenhouse
 WF-ATF-0002

Sampling

Sample Collection Date/Time: 03/11/25 13:10
 Sample Collection Site: Central Processors NY
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Moisture Date/Time Tested: 03/13/2025; 11:18
 Moisture Method: MTHD-003

Water Activity Date/Time Tested: 03/13/2025; 8:51
 Water Activity Method: MTHD-002

0.31 aw
 Limit: 0.65 aw
Pass
Water Activity

9.6%
 Limit: 15.0 %
Pass
Moisture

Foreign Matter

Foreign Matter Method: MTHD-004
 Foreign Matter Date/Time Tested: 03/14/2025; 14:45

Pass

| Analyte | Limit | Result | Status |
|------------------|----------|--------|--------|
| Mammal Excrement | 0.00022% | 0 | Pass |
| FM Stems | 5% | 0 | Pass |
| FM Other | 2% | 0 | Pass |

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
<http://www.drstesting.com>
 Lic# OCM-CPL-2022-00011



Amanda Thorning
 Laboratory Director

Violet Josik
 Quality Assurance Officer



Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
 Powered by Confident LIMS
 1 of 8

Central Processors NY, LLC

Contact Person: Matthew Barry
 East Syracuse, NY 13057
 mattb@centralprocessorsny.com
 (315) 937-5718
 Lic. #OCM-PROC-24-000061

Sample: 2501RLI0044-0132

Strain: ATF x SODO
 Batch#: WF-ATF-0002; Batch Size: 1770 units
 Sample Received: 01/21/2025; Report Created: 01/27/2025;

High Peaks ATF x SODO 3.5g Whole Flower
 Plant, Flower - Cured, Mixed Light

Sampling

Sample Collection Date/Time: 01/21/25 12:10
 Sample Collection Site: Central Processors NY
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:



Safety

| | | |
|-------------------------------|---------------------------|-------------------------------|
| Pass Pesticides | Pass Microbials | Pass Mycotoxins |
| Not Tested Solvents | Pass Metals | Pass Foreign Matter |

Cannabinoids

| | | |
|----------------------------|------------------------|--------------------------|
| 22.73% Total THC | ND Total CBD | 11.3% Moisture |
|----------------------------|------------------------|--------------------------|

| Analyte | LOQ | Result | Result |
|---------------------------|------|--------------|---------------|
| | mg/g | % | mg/g |
| CBDVa | 0.2 | ND | ND |
| CBDV | 0.2 | ND | ND |
| CBDa | 0.2 | ND | ND |
| CBGa | 0.2 | 0.21 | 2.1 |
| CBG | 0.2 | ND | ND |
| CBD | 0.2 | ND | ND |
| THCV | 0.2 | ND | ND |
| THCVa | 0.2 | ND | ND |
| CBN | 0.2 | ND | ND |
| Δ9-THC | 0.2 | 3.10 | 31.0 |
| Δ8-THC | 0.2 | ND | ND |
| (6aR,9R)-d10-THC | 0.2 | ND | ND |
| (6aR,9S)-d10-THC | 0.2 | ND | ND |
| CBC | 0.2 | ND | ND |
| THCa | 0.2 | 22.39 | 223.9 |
| CBCa | 0.2 | ND | ND |
| Total Cannabinoids | | 25.70 | 257.01 |

Entered By: VJ, Instrument ID: AL2-004
 Method: MTHD-001, Date Tested: 01/24/2025 10:15
 Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
<http://www.drstesting.com>
 Lic# OCM-CPL-2022-00011



Amanda Thorning
 Laboratory Director

Violet Josik
 Quality Assurance Lead



Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
 Powered by Confident LIMS
 2 of 8

Central Processors NY, LLC

Contact Person: Matthew Barry
 East Syracuse, NY 13057
 mattb@centralprocessorsny.com
 (315) 937-5718
 Lic. #OCM-PROC-24-000061

Sample: 2501RLI0044-0132

Strain: ATF x SODO
 Batch#: WF-ATF-0002; Batch Size: 1770 units
 Sample Received: 01/21/2025; Report Created: 01/27/2025;

High Peaks ATF x SODO 3.5g Whole Flower
 Plant, Flower - Cured, Mixed Light

Sampling

Sample Collection Date/Time: 01/21/25 12:10
 Sample Collection Site: Central Processors NY
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Residual Solvents

Not Tested

| Analyte | LOQ | Limit | Result | Status |
|---------|-----|-------|--------|--------|
|---------|-----|-------|--------|--------|

Microbials

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------------|-------|--------|---------|--------|
| | CFU/g | CFU/g | CFU/g | |
| Aspergillus flavus | 1 | Absent | Absence | Pass |
| Aspergillus fumigatus | 1 | Absent | Absence | Pass |
| Aspergillus niger | 1 | Absent | Absence | Pass |
| Aspergillus terreus | 1 | Absent | Absence | Pass |
| Salmonella | 1 | Absent | Absence | Pass |
| Shiga Toxin E. Coli | 1 | Absent | Absence | Pass |
| Aerobic Bacteria | 10 | N/A | 81000 | Tested |
| Yeast & Mold | 10 | N/A | 87000 | Tested |

Entered By: MN, Aria Instrument ID: M-001; 3M Instrument ID: M-012
 Aerobic Date Tested: 01/23/2025 16:14
 YM Date Tested: 01/24/2025 13:33 Sal/STEC/Asp Date Tested: 01/22/2025 12:15
 Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

Heavy Metals

Pass

| Analyte | LOQ | Limit | Result | Status |
|----------|--------|-----------|---------|--------|
| | PPM | PPM | PPM | |
| Chromium | 1.0000 | 1100.0000 | <LOQ | Pass |
| Nickel | 0.5000 | 5.0000 | <LOQ | Pass |
| Copper | 1.0000 | 30.0000 | 11.9105 | Pass |
| Arsenic | 0.1000 | 0.2000 | <LOQ | Pass |
| Cadmium | 0.1000 | 0.2000 | <LOQ | Pass |
| Antimony | 0.5000 | 2.0000 | ND | Pass |
| Mercury | 0.0500 | 0.1000 | ND | Pass |
| Lead | 0.2500 | 0.5000 | <LOQ | Pass |

Entered By: MN, Instrument ID: AL2-001
 Method: MTHD-006 Date Tested: 01/23/2025 14:44
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
 ND = Not Detected; NT = Not Tested; NR = Not Reported

Mycotoxins

Pass

| Analyte | LOQ | Limit | Result | Status |
|------------------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | |
| Aflatoxin B1 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin B2 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin G1 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin G2 | 0.005 | 0.020 | ND | Pass |
| Ochratoxin A | 0.005 | 0.020 | ND | Pass |
| Total Aflatoxins | | 0.020 | ND | Pass |

Entered By: CB, Instrument ID: AL1-003
 Method: MTHD-009 Date Tested: 01/23/2025 19:41

Entered By: , Instrument ID:
 Method: , Date Tested:

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
 http://www.drstesting.com
 Lic# OCM-CPL-2022-00011



Amanda Thorning
 Laboratory Director

Violet Josik
 Quality Assurance Lead



Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
 Powered by Confident LIMS
 3 of 8

Central Processors NY, LLC

Contact Person: Matthew Barry
 East Syracuse, NY 13057
 mattb@centralprocessorsny.com
 (315) 937-5718
 Lic. #OCM-PROC-24-000061

Sample: 2501RLI0044-0132

Strain: ATF x SODO
 Batch#: WF-ATF-0002; Batch Size: 1770 units
 Sample Received: 01/21/2025; Report Created: 01/27/2025;

High Peaks ATF x SODO 3.5g Whole Flower
 Plant, Flower - Cured, Mixed Light

Sampling

Sample Collection Date/Time: 01/21/25 12:10
 Sample Collection Site: Central Processors NY
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Terpenes

Complete

Primary Aromas

| Analyte | LOQ | Result | Result |
|---------------------|--------|--------|--------|
| | % | % | mg/g |
| β-Caryophyllene | 0.0065 | 0.42 | 4.24 |
| α-Bisabolol | 0.0065 | 0.19 | 1.85 |
| Limonene | 0.0065 | 0.17 | 1.71 |
| Valencene | 0.0021 | 0.12 | 1.23 |
| α-Humulene | 0.0065 | 0.12 | 1.20 |
| Linalool | 0.0065 | 0.09 | 0.86 |
| α-Pinene | 0.0065 | 0.04 | 0.42 |
| β-Pinene | 0.0065 | 0.04 | 0.35 |
| β-Myrcene | 0.0065 | 0.02 | 0.23 |
| Caryophyllene Oxide | 0.0065 | 0.01 | 0.14 |
| Camphene | 0.0065 | 0.01 | 0.08 |
| α-Phellandrene | 0.0052 | ND | ND |
| α-Terpinene | 0.0065 | <LOQ | <LOQ |
| Farnesene | 0.0021 | ND | ND |
| Fenchol | 0.0104 | ND | ND |
| Geraniol | 0.0065 | ND | ND |
| Guaiol | 0.0065 | ND | ND |
| Ocimene | 0.0065 | <LOQ | <LOQ |
| Terpineol | 0.0052 | ND | ND |
| Terpinolene | 0.0065 | <LOQ | <LOQ |



1.2313%
 Total Terpenes

Entered By: CB, Instrument ID: AL1-001
 Method: MTHD-005, Date Tested: 01/24/2025 1:37

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
 http://www.drstesting.com
 Lic# OCM-CPL-2022-00011



Amanda Thorning
 Amanda Thorning
 Laboratory Director

Violet Josik
 Violet Josik
 Quality Assurance Lead



Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
 Powered by Confident LIMS
 4 of 8

Central Processors NY, LLC

Contact Person: Matthew Barry
 East Syracuse, NY 13057
 mattb@centralprocessorsny.com
 (315) 937-5718
 Lic. #OCM-PROC-24-000061

Sample: 2501RLI0044-0132

Strain: ATF x SODO
 Batch#: WF-ATF-0002; Batch Size: 1770 units
 Sample Received: 01/21/2025; Report Created: 01/27/2025;

High Peaks ATF x SODO 3.5g Whole Flower
 Plant, Flower - Cured, Mixed Light

Sampling

Sample Collection Date/Time: 01/21/25 12:10
 Sample Collection Site: Central Processors NY
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Abamectin | 0.05 | 0.50 | ND | Pass |
| Acephate | 0.05 | 0.40 | ND | Pass |
| Acequinocyl | 0.05 | 2.00 | ND | Pass |
| Acetamiprid | 0.05 | 0.20 | ND | Pass |
| Aldicarb | 0.05 | 0.40 | ND | Pass |
| Avermectin-B1a | | | 0.00 | Tested |
| Avermectin-B1b | | | ND | Tested |
| Azadirachtin | 0.25 | 1.00 | ND | Pass |
| Azoxystrobin | 0.05 | 0.20 | ND | Pass |
| Bifenazate | 0.05 | 0.20 | ND | Pass |
| Bifenthrin | 0.05 | 0.20 | ND | Pass |
| Boscalid | 0.05 | 0.40 | ND | Pass |
| Captan | 0.50 | 1.00 | ND | Pass |
| Carbaryl | 0.05 | 0.20 | ND | Pass |
| Carbofuran | 0.05 | 0.20 | ND | Pass |
| Chlorantraniliprole | 0.05 | 0.20 | ND | Pass |
| Chlordane | 0.50 | 1.00 | ND | Pass |
| Chlorfenapyr | 0.50 | 1.00 | ND | Pass |
| Chloromequat chloride | 0.05 | 1.00 | ND | Pass |
| Chlorpyrifos | 0.05 | 0.20 | ND | Pass |
| Cinerin 1 | | | 0.00 | Tested |
| Clofentezine | 0.05 | 0.20 | ND | Pass |
| Coumaphos | 0.05 | 1.00 | ND | Pass |
| Cyfluthrin | 0.05 | 1.00 | ND | Pass |
| Cypermethrin | 0.05 | 1.00 | ND | Pass |

Entered By: CB, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
 GC Method: MTHD-008 GC Date Tested: 01/22/2025 22:58
 LC Method: MTHD-009 LC Date Tested: 01/23/2025 19:41
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
 ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
<http://www.drstesting.com>
 Lic# OCM-CPL-2022-00011



Amanda Thorning
 Laboratory Director

Violet Josik
 Quality Assurance Lead



Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
 Powered by Confident LIMS
 5 of 8

Central Processors NY, LLC

Contact Person: Matthew Barry
 East Syracuse, NY 13057
 mattb@centralprocessorsny.com
 (315) 937-5718
 Lic. #OCM-PROC-24-000061

Sample: 2501RLI0044-0132

Strain: ATF x SODO
 Batch#: WF-ATF-0002; Batch Size: 1770 units
 Sample Received: 01/21/2025; Report Created: 01/27/2025;

High Peaks ATF x SODO 3.5g Whole Flower
 Plant, Flower - Cured, Mixed Light

Sampling

Sample Collection Date/Time: 01/21/25 12:10
 Sample Collection Site: Central Processors NY
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|--------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Daminozide | 0.05 | 1.00 | ND | Pass |
| Diazinon | 0.05 | 0.20 | ND | Pass |
| Dichlorvos | 0.05 | 1.00 | ND | Pass |
| Dimethoate | 0.05 | 0.20 | ND | Pass |
| Dimethomorph | 0.05 | 1.00 | ND | Pass |
| Ethoprophos | 0.05 | 0.20 | ND | Pass |
| Etofenprox | 0.05 | 0.40 | ND | Pass |
| Etoazole | 0.05 | 0.20 | ND | Pass |
| Fenhexamid | 0.05 | 1.00 | ND | Pass |
| Fenoxycarb | 0.05 | 0.20 | ND | Pass |
| Fenpyroximate | 0.05 | 0.40 | ND | Pass |
| Fipronil | 0.05 | 0.40 | ND | Pass |
| Flonicamid | 0.05 | 1.00 | ND | Pass |
| Fludioxonil | 0.05 | 0.40 | ND | Pass |
| Hexythiazox | 0.05 | 1.00 | ND | Pass |
| Imazalil | 0.05 | 0.20 | 0.09 | Pass |
| Imidacloprid | 0.05 | 0.40 | ND | Pass |
| Indolebutyric Acid | 0.05 | 1.00 | ND | Pass |
| Jasmolin 1 | | | ND | Tested |
| Kresoxim Methyl | 0.05 | 0.40 | ND | Pass |
| Malathion | 0.05 | 0.20 | ND | Pass |
| Metalaxyl | 0.05 | 0.20 | ND | Pass |
| Methiocarb | 0.05 | 0.20 | ND | Pass |
| Methomyl | 0.05 | 0.40 | ND | Pass |
| Methyl Parathion | 0.10 | 0.20 | ND | Pass |

Entered By: CB, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
 GC Method: MTHD-008 GC Date Tested: 01/22/2025 22:58
 LC Method: MTHD-009 LC Date Tested: 01/23/2025 19:41
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
 ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
<http://www.drstesting.com>
 Lic# OCM-CPL-2022-00011



Amanda Thorning
 Laboratory Director

Violet Josik
 Quality Assurance Lead



Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
 Powered by Confident LIMS
 6 of 8

Central Processors NY, LLC

Contact Person: Matthew Barry
 East Syracuse, NY 13057
 mattb@centralprocessorsny.com
 (315) 937-5718
 Lic. #OCM-PROC-24-000061

Sample: 2501RLI0044-0132

Strain: ATF x SODO
 Batch#: WF-ATF-0002; Batch Size: 1770 units
 Sample Received: 01/21/2025; Report Created: 01/27/2025;

High Peaks ATF x SODO 3.5g Whole Flower
 Plant, Flower - Cured, Mixed Light

Sampling

Sample Collection Date/Time: 01/21/25 12:10
 Sample Collection Site: Central Processors NY
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-------------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Mevinphos | 0.05 | 1.00 | ND | Pass |
| MGK-264 | 0.05 | 0.20 | ND | Pass |
| Myclobutanil | 0.05 | 0.20 | ND | Pass |
| Naled | 0.05 | 0.50 | ND | Pass |
| Oxamyl | 0.05 | 1.00 | ND | Pass |
| Paclobutrazol | 0.05 | 0.40 | ND | Pass |
| Pentachloronitrobenzene | 0.50 | 1.00 | ND | Pass |
| Permethrins | 0.05 | 0.20 | ND | Pass |
| Phosmet | 0.05 | 0.20 | ND | Pass |
| Piperonyl Butoxide | 0.05 | 2.00 | ND | Pass |
| Prallethrin | 0.05 | 0.20 | ND | Pass |
| Propiconazole | 0.05 | 0.40 | ND | Pass |
| Propoxur | 0.05 | 0.20 | ND | Pass |
| Pyrethrin 1 | | | ND | Tested |
| Pyrethrin 2 | | | ND | Tested |
| Pyrethrins | 0.05 | 1.00 | ND | Pass |
| Pyridaben | 0.05 | 0.20 | ND | Pass |
| Spinetoram | 0.05 | 1.00 | ND | Pass |
| Spinetoram J | | | ND | Tested |
| Spinetoram L | | | 0.00 | Tested |
| Spinosad | 0.05 | 0.20 | ND | Pass |
| Spinosyn A | | | 0.00 | Tested |
| Spinosyn D | | | ND | Tested |
| Spiromesifen | 0.05 | 0.20 | ND | Pass |
| Spirotetramat | 0.05 | 0.20 | ND | Pass |

Entered By: CB, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
 GC Method: MTHD-008 GC Date Tested: 01/22/2025 22:58
 LC Method: MTHD-009 LC Date Tested: 01/23/2025 19:41
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
 ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
<http://www.drstesting.com>
 Lic# OCM-CPL-2022-00011



Amanda Thorning
 Laboratory Director

Violet Josik
 Quality Assurance Lead



Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
 Powered by Confident LIMS
 7 of 8

Central Processors NY, LLC

Contact Person: Matthew Barry
 East Syracuse, NY 13057
 mattb@centralprocessorsny.com
 (315) 937-5718
 Lic. #OCM-PROC-24-000061

Sample: 2501RLI0044-0132

Strain: ATF x SODO
 Batch#: WF-ATF-0002; Batch Size: 1770 units
 Sample Received: 01/21/2025; Report Created: 01/27/2025;

High Peaks ATF x SODO 3.5g Whole Flower
 Plant, Flower - Cured, Mixed Light

Sampling

Sample Collection Date/Time: 01/21/25 12:10
 Sample Collection Site: Central Processors NY
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Spiroxamine | 0.05 | 0.20 | ND | Pass |
| Tebuconazole | 0.05 | 0.40 | ND | Pass |
| Thiacloprid | 0.05 | 0.20 | ND | Pass |
| Thiamethoxam | 0.05 | 0.20 | ND | Pass |
| Trifloxystrobin | 0.05 | 0.20 | ND | Pass |

Entered By: CB, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003
 GC Method: MTHD-008 GC Date Tested: 01/22/2025 22:58
 LC Method: MTHD-009 LC Date Tested: 01/23/2025 19:41
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
 ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
<http://www.drstesting.com>
 Lic# OCM-CPL-2022-00011



Amanda Thorning
 Laboratory Director

Violet Josik
 Quality Assurance Lead



Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
 Powered by Confident LIMS
 8 of 8

Central Processors NY, LLC

Contact Person: Matthew Barry
 East Syracuse, NY 13057
 mattb@centralprocessorsny.com
 (315) 937-5718
 Lic. #OCM-PROC-24-000061

Sample: 2501RLI0044-0132

Strain: ATF x SODO
 Batch#: WF-ATF-0002; Batch Size: 1770 units
 Sample Received: 01/21/2025; Report Created: 01/27/2025;

High Peaks ATF x SODO 3.5g Whole Flower
 Plant, Flower - Cured, Mixed Light

Sampling

Sample Collection Date/Time: 01/21/25 12:10
 Sample Collection Site: Central Processors NY
 Sampling Firm: DRS Testing
 Sampling Method: MTHD-014
 Sampling Notes/Deviations:

Moisture Date/Time Tested: 01/24/2025; 10:20
 Moisture Method: MTHD-003

Water Activity Date/Time Tested: 01/22/2025; 16:50
 Water Activity Method: MTHD-002

0.52 aw
 Limit: 0.65 aw
Pass
Water Activity

11.3%
 Limit: 15.0 %
Pass
Moisture

Foreign Matter

Foreign Matter Method: MTHD-004
 Foreign Matter Date/Time Tested: 01/24/2025; 14:12

Pass

| Analyte | Limit | Result | Status |
|------------------|----------|--------|--------|
| Mammal Excrement | 0.00022% | 0 | Pass |
| FM Stems | 5% | 0 | Pass |
| FM Other | 2% | 0 | Pass |

DRS Testing
 28 Best Street
 Buffalo, NY
 (716) 503-8147
<http://www.drstesting.com>
 Lic# OCM-CPL-2022-00011



Amanda Thorning
 Laboratory Director

Violet Josik
 Quality Assurance Lead



Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.