



# Certificate of Analysis

Type of Use: Adult Use  
 Powered by Confident LIMS  
 1 of 2

## Central Processors NY, LLC

Contact Person: Matthew Barry  
 East Syracuse, NY 13057  
 mattb@centralprocessorsny.com  
 (315) 937-5118  
 Lic. #OCM-PROC-24-000061

## Sample: 2504RLI0266-0974

Strain: Pressure  
 Batch#: PR-PRS-0002; Batch Size: 1800 units  
 Sample Received: 04/08/2025; Report Created: 04/14/2025;

## High Peaks Pressure PreRoll

Plant, Preroll, Greenhouse  
 WF-PRS-0002

## Sampling

Sample Collection Date/Time: 04/08/25 12:20  
 Sample Collection Site: Central Processors NY  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:

## Residual Solvents

Not Tested

| Analyte | LOQ | Limit | Result | Status |
|---------|-----|-------|--------|--------|
|---------|-----|-------|--------|--------|

## Microbials

Pass

| Analyte               | LOQ   | Limit  | Result  | Status |
|-----------------------|-------|--------|---------|--------|
|                       | CFU/g | CFU/g  | CFU/g   |        |
| Aspergillus flavus    | 1     | Absent | Absence | Pass   |
| Aspergillus fumigatus | 1     | Absent | Absence | Pass   |
| Aspergillus niger     | 1     | Absent | Absence | Pass   |
| Aspergillus terreus   | 1     | Absent | Absence | Pass   |
| Salmonella            | 1     | Absent | Absence | Pass   |
| Shiga Toxin E. Coli   | 1     | Absent | Absence | Pass   |
| Aerobic Bacteria      | 10    | N/A    | 86000   | Tested |
| Yeast & Mold          | 10    | N/A    | 51000   | Tested |

Entered By: MS, Aria Instrument ID: M-001; 3M Instrument ID: M-012  
 Aerobic Date Tested: 04/10/2025 16:35  
 YM Date Tested: 04/11/2025 1641 Sal/STEC/Asp Date Tested: 04/09/2025 15:39  
 Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

## Heavy Metals

Pass

| Analyte  | LOQ    | Limit     | Result  | Status |
|----------|--------|-----------|---------|--------|
|          | PPM    | PPM       | PPM     |        |
| Chromium | 1.0000 | 1100.0000 | <LOQ    | Pass   |
| Nickel   | 0.5000 | 5.0000    | <LOQ    | Pass   |
| Copper   | 1.0000 | 30.0000   | 12.0492 | Pass   |
| Arsenic  | 0.1000 | 0.2000    | <LOQ    | Pass   |
| Cadmium  | 0.1000 | 0.2000    | <LOQ    | Pass   |
| Antimony | 0.5000 | 2.0000    | ND      | Pass   |
| Mercury  | 0.0500 | 0.1000    | ND      | Pass   |
| Lead     | 0.2500 | 0.5000    | <LOQ    | Pass   |

Entered By: AT, Instrument ID: AL2-001  
 Method: MTHD-006 Date Tested: 04/10/2025 15:58:28  
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
 ND = Not Detected; NT = Not Tested; NR = Not Reported

## Mycotoxins

Not Tested

| Analyte | LOQ | Limit | Result | Status |
|---------|-----|-------|--------|--------|
|---------|-----|-------|--------|--------|

Entered By: , Instrument ID:  
 Method: , Date Tested:

Entered By: , Instrument ID:  
 Method: Date Tested:

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
<http://www.drstesting.com>  
 Lic# OCM-CPL-2022-00011



Amanda Thorning  
 Laboratory Director

Violet Josik  
 Quality Assurance Officer



Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
2 of 2

## Central Processors NY, LLC

Contact Person: Matthew Barry  
East Syracuse, NY 13057  
mattb@centralprocessorsny.com  
(315) 937-5118  
Lic. #OCM-PROC-24-000061

Sample: 2504RLI0266-0974

Strain: Pressure  
Batch#: PR-PRS-0002; Batch Size: 1800 units  
Sample Received: 04/08/2025; Report Created: 04/14/2025;

## High Peaks Pressure PreRoll

Plant, Preroll, Greenhouse  
WF-PRS-0002

## Sampling

Sample Collection Date/Time: 04/08/25 12:20  
Sample Collection Site: Central Processors NY  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

Moisture Date/Time Tested: 04/09/2025; 13:55  
Moisture Method: MTHD-003

Water Activity Date/Time Tested: 04/09/2025; 1129  
Water Activity Method: MTHD-002

**0.31 aw**  
Limit: 0.65 aw  
*Pass*  
**Water Activity**

**10.0%**  
Limit: 15.0 %  
*Pass*  
**Moisture**

## Foreign Matter

Foreign Matter Method:  
Foreign Matter Date/Time Tested: ;

Not Tested

| Analyte | Limit | Result | Status |
|---------|-------|--------|--------|
|         | %     |        |        |
|         | %     |        |        |
|         | %     |        |        |

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-2022-00011



Amanda Thorning  
Laboratory Director

Violet Josik  
Quality Assurance Officer



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
 Powered by Confident LIMS  
 1 of 8

## Central Processors NY, LLC

Contact Person: Matthew Barry  
 East Syracuse, NY 13057  
 mattb@centralprocessorsny.com  
 (315) 937-5118  
 Lic. #OCM-PROC-24-000061

## Sample: 2503RLI0221-0824

Strain: Pressure  
 Batch#: WF-PRS-0002; Batch Size: 7800 g  
 Sample Received: 03/25/2025; Report Created: 03/31/2025;

High Peaks Pressure - 3.5g  
 Plant, Flower - Cured, Greenhouse

### Sampling

Sample Collection Date/Time: 03/25/25 13:40  
 Sample Collection Site: Central Processors NY  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:



### Safety

|                               |                           |                               |
|-------------------------------|---------------------------|-------------------------------|
| <b>Pass</b><br>Pesticides     | <b>Pass</b><br>Microbials | <b>Pass</b><br>Mycotoxins     |
| <b>Not Tested</b><br>Solvents | <b>Pass</b><br>Metals     | <b>Pass</b><br>Foreign Matter |

### Cannabinoids

|                            |                        |                          |
|----------------------------|------------------------|--------------------------|
| <b>23.46%</b><br>Total THC | <b>ND</b><br>Total CBD | <b>12.5%</b><br>Moisture |
|----------------------------|------------------------|--------------------------|

| Analyte                   | LOQ  | Result       | Result        |
|---------------------------|------|--------------|---------------|
|                           | mg/g | %            | mg/g          |
| CBDVa                     | 0.2  | ND           | ND            |
| CBDV                      | 0.2  | ND           | ND            |
| CBDa                      | 0.2  | ND           | ND            |
| CBGa                      | 0.2  | 0.51         | 5.1           |
| CBG                       | 0.2  | ND           | ND            |
| CBD                       | 0.2  | ND           | ND            |
| THCV                      | 0.2  | ND           | ND            |
| THCVa                     | 0.2  | ND           | ND            |
| CBN                       | 0.2  | ND           | ND            |
| Δ9-THC                    | 0.2  | 0.54         | 5.4           |
| Δ8-THC                    | 0.2  | ND           | ND            |
| (6aR,9R)-d10-THC          | 0.2  | ND           | ND            |
| (6aR,9S)-d10-THC          | 0.2  | ND           | ND            |
| CBC                       | 0.2  | ND           | ND            |
| THCa                      | 0.2  | 26.14        | 261.4         |
| CBCa                      | 0.2  | ND           | ND            |
| <b>Total Cannabinoids</b> |      | <b>27.18</b> | <b>271.79</b> |

Entered By: VJ, Instrument ID: AL2-004  
 Method: MTHD-001, Date Tested: 03/27/2025 13:05  
 Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
 http://www.drstesting.com  
 Lic# OCM-CPL-2022-00011



*Amanda Thorning*  
 Amanda Thorning  
 Laboratory Director

*Violet Josik*  
 Violet Josik  
 Quality Assurance Officer



Confident LIMS  
 All Rights Reserved  
 coa.support@confidentlims.com  
 (866) 506-5866  
 www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
 Powered by Confident LIMS  
 2 of 8

## Central Processors NY, LLC

Contact Person: Matthew Barry  
 East Syracuse, NY 13057  
 mattb@centralprocessorsny.com  
 (315) 937-5118  
 Lic. #OCM-PROC-24-000061

## Sample: 2503RLI0221-0824

Strain: Pressure  
 Batch#: WF-PRS-0002; Batch Size: 7800 g  
 Sample Received: 03/25/2025; Report Created: 03/31/2025;

High Peaks Pressure - 3.5g  
 Plant, Flower - Cured, Greenhouse

### Sampling

Sample Collection Date/Time: 03/25/25 13:40  
 Sample Collection Site: Central Processors NY  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:

### Residual Solvents

Not Tested

| Analyte | LOQ | Limit | Result | Status |
|---------|-----|-------|--------|--------|
|---------|-----|-------|--------|--------|

### Microbials

Pass

| Analyte               | LOQ   | Limit  | Result  | Status |
|-----------------------|-------|--------|---------|--------|
|                       | CFU/g | CFU/g  | CFU/g   |        |
| Aspergillus flavus    | 1     | Absent | Absence | Pass   |
| Aspergillus fumigatus | 1     | Absent | Absence | Pass   |
| Aspergillus niger     | 1     | Absent | Absence | Pass   |
| Aspergillus terreus   | 1     | Absent | Absence | Pass   |
| Salmonella            | 1     | Absent | Absence | Pass   |
| Shiga Toxin E. Coli   | 1     | Absent | Absence | Pass   |
| Aerobic Bacteria      | 10    | N/A    | 241000  | Tested |
| Yeast & Mold          | 10    | N/A    | 5000000 | Tested |

Entered By: VJ, Aria Instrument ID: M-001; 3M Instrument ID: M-012  
 Aerobic Date Tested: 03/28/2025 10:47  
 YM Date Tested: 03/28/2025 15:05 Sal/STEC/Asp Date Tested: 03/27/2025 12:28  
 Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

### Heavy Metals

Pass

| Analyte  | LOQ    | Limit     | Result  | Status |
|----------|--------|-----------|---------|--------|
|          | PPM    | PPM       | PPM     |        |
| Chromium | 1.0000 | 1100.0000 | <LOQ    | Pass   |
| Nickel   | 0.5000 | 5.0000    | <LOQ    | Pass   |
| Copper   | 1.0000 | 30.0000   | 17.3639 | Pass   |
| Arsenic  | 0.1000 | 0.2000    | ND      | Pass   |
| Cadmium  | 0.1000 | 0.2000    | ND      | Pass   |
| Antimony | 0.5000 | 2.0000    | ND      | Pass   |
| Mercury  | 0.0500 | 0.1000    | ND      | Pass   |
| Lead     | 0.2500 | 0.5000    | ND      | Pass   |

Entered By: AT, Instrument ID: AL2-001  
 Method: MTHD-006 Date Tested: 03/27/2025 11:26:24  
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
 ND = Not Detected; NT = Not Tested; NR = Not Reported

### Mycotoxins

Pass

| Analyte          | LOQ   | Limit | Result | Status |
|------------------|-------|-------|--------|--------|
|                  | µg/g  | µg/g  | µg/g   |        |
| Aflatoxin B1     | 0.005 | 0.020 | ND     | Pass   |
| Aflatoxin B2     | 0.005 | 0.020 | ND     | Pass   |
| Aflatoxin G1     | 0.005 | 0.020 | ND     | Pass   |
| Aflatoxin G2     | 0.005 | 0.020 | ND     | Pass   |
| Ochratoxin A     | 0.005 | 0.020 | ND     | Pass   |
| Total Aflatoxins |       | 0.020 | ND     | Pass   |

Entered By: AT, Instrument ID: AL1-003  
 Method: MTHD-009 Date Tested: 03/27/2025 20:26

Entered By: , Instrument ID:  
 Method: , Date Tested:

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
 http://www.drstesting.com  
 Lic# OCM-CPL-2022-00011



Amanda Thorning  
 Laboratory Director

Violet Josik  
 Quality Assurance Officer



Confident LIMS  
 All Rights Reserved  
 coa.support@confidentlims.com  
 (866) 506-5866  
 www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
 Powered by Confident LIMS  
 3 of 8

## Central Processors NY, LLC

Contact Person: Matthew Barry  
 East Syracuse, NY 13057  
 mattb@centralprocessorsny.com  
 (315) 937-5118  
 Lic. #OCM-PROC-24-000061

Sample: 2503RLI0221-0824

Strain: Pressure  
 Batch#: WF-PRS-0002; Batch Size: 7800 g  
 Sample Received: 03/25/2025; Report Created: 03/31/2025;

High Peaks Pressure - 3.5g  
 Plant, Flower - Cured, Greenhouse

### Sampling


Sample Collection Date/Time: 03/25/25 13:40  
 Sample Collection Site: Central Processors NY  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:

### Terpenes

### Complete

### Primary Aromas

| Analyte             | LOQ    | Result | Result |
|---------------------|--------|--------|--------|
|                     | %      | %      | mg/g   |
| β-Caryophyllene     | 0.0065 | 0.48   | 4.76   |
| Limonene            | 0.0065 | 0.41   | 4.14   |
| Linalool            | 0.0065 | 0.15   | 1.45   |
| α-Humulene          | 0.0065 | 0.11   | 1.10   |
| β-Myrcene           | 0.0065 | 0.10   | 0.97   |
| Fenchol             | 0.0104 | 0.09   | 0.94   |
| β-Pinene            | 0.0065 | 0.08   | 0.76   |
| Valencene           | 0.0021 | 0.06   | 0.58   |
| α-Pinene            | 0.0065 | 0.05   | 0.49   |
| α-Bisabolol         | 0.0065 | 0.04   | 0.45   |
| α-Phellandrene      | 0.0052 | ND     | ND     |
| α-Terpinene         | 0.0065 | ND     | ND     |
| Camphene            | 0.0065 | <LOQ   | <LOQ   |
| Caryophyllene Oxide | 0.0065 | ND     | ND     |
| Farnesene           | 0.0021 | ND     | ND     |
| Geraniol            | 0.0065 | ND     | ND     |
| Guaiol              | 0.0065 | ND     | ND     |
| Ocimene             | 0.0065 | ND     | ND     |
| Terpineol           | 0.0052 | ND     | ND     |
| Terpinolene         | 0.0065 | ND     | ND     |



**1.5626%**  
 Total Terpenes

Entered By: CB, Instrument ID: AL1-001  
 Method: MTHD-005, Date Tested: 03/28/2025 10:22

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
<http://www.drstesting.com>  
 Lic# OCM-CPL-2022-00011



Amanda Thorning  
 Laboratory Director

Violet Josik  
 Quality Assurance Officer



Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
 Powered by Confident LIMS  
 4 of 8

## Central Processors NY, LLC

Contact Person: Matthew Barry  
 East Syracuse, NY 13057  
 mattb@centralprocessorsny.com  
 (315) 937-5118  
 Lic. #OCM-PROC-24-000061

## Sample: 2503RLI0221-0824

Strain: Pressure  
 Batch#: WF-PRS-0002; Batch Size: 7800 g  
 Sample Received: 03/25/2025; Report Created: 03/31/2025;

High Peaks Pressure - 3.5g  
 Plant, Flower - Cured, Greenhouse

### Sampling

Sample Collection Date/Time: 03/25/25 13:40  
 Sample Collection Site: Central Processors NY  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte               | LOQ  | Limit | Result | Status |
|-----------------------|------|-------|--------|--------|
|                       | PPM  | PPM   | PPM    |        |
| Abamectin             | 0.05 | 0.50  | ND     | Pass   |
| Acephate              | 0.05 | 0.40  | ND     | Pass   |
| Acequinocyl           | 0.05 | 2.00  | ND     | Pass   |
| Acetamiprid           | 0.05 | 0.20  | ND     | Pass   |
| Aldicarb              | 0.05 | 0.40  | ND     | Pass   |
| Avermectin-B1a        |      |       | ND     | Tested |
| Avermectin-B1b        |      |       | ND     | Tested |
| Azadirachtin          | 0.25 | 1.00  | ND     | Pass   |
| Azoxystrobin          | 0.05 | 0.20  | ND     | Pass   |
| Bifenazate            | 0.05 | 0.20  | ND     | Pass   |
| Bifenthrin            | 0.05 | 0.20  | ND     | Pass   |
| Boscalid              | 0.05 | 0.40  | ND     | Pass   |
| Captan                | 0.50 | 1.00  | ND     | Pass   |
| Carbaryl              | 0.05 | 0.20  | ND     | Pass   |
| Carbofuran            | 0.05 | 0.20  | ND     | Pass   |
| Chlorantraniliprole   | 0.05 | 0.20  | ND     | Pass   |
| Chlordane             | 0.50 | 1.00  | ND     | Pass   |
| Chlorfenapyr          | 0.50 | 1.00  | ND     | Pass   |
| Chloromequat chloride | 0.05 | 1.00  | ND     | Pass   |
| Chlorpyrifos          | 0.05 | 0.20  | ND     | Pass   |
| Cinerin 1             |      |       | ND     | Tested |
| Clofentezine          | 0.05 | 0.20  | ND     | Pass   |
| Coumaphos             | 0.05 | 1.00  | ND     | Pass   |
| Cyfluthrin            | 0.05 | 1.00  | ND     | Pass   |
| Cypermethrin          | 0.05 | 1.00  | ND     | Pass   |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
 GC Method: MTHD-008 GC Date Tested: 03/26/2025 22:00  
 LC Method: MTHD-009 LC Date Tested: 03/27/2025 20:26  
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
 ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
<http://www.drstesting.com>  
 Lic# OCM-CPL-2022-00011



Amanda Thorning  
 Laboratory Director

Violet Josik  
 Quality Assurance Officer



Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
 Powered by Confident LIMS  
 5 of 8

## Central Processors NY, LLC

Contact Person: Matthew Barry  
 East Syracuse, NY 13057  
 mattb@centralprocessorsny.com  
 (315) 937-5118  
 Lic. #OCM-PROC-24-000061

## Sample: 2503RLI0221-0824

Strain: Pressure  
 Batch#: WF-PRS-0002; Batch Size: 7800 g  
 Sample Received: 03/25/2025; Report Created: 03/31/2025;

High Peaks Pressure - 3.5g  
 Plant, Flower - Cured, Greenhouse

### Sampling

Sample Collection Date/Time: 03/25/25 13:40  
 Sample Collection Site: Central Processors NY  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte            | LOQ  | Limit | Result | Status |
|--------------------|------|-------|--------|--------|
|                    | PPM  | PPM   | PPM    |        |
| Daminozide         | 0.05 | 1.00  | ND     | Pass   |
| Diazinon           | 0.05 | 0.20  | ND     | Pass   |
| Dichlorvos         | 0.05 | 1.00  | ND     | Pass   |
| Dimethoate         | 0.05 | 0.20  | ND     | Pass   |
| Dimethomorph       | 0.05 | 1.00  | ND     | Pass   |
| Ethoprophos        | 0.05 | 0.20  | ND     | Pass   |
| Etofenprox         | 0.05 | 0.40  | ND     | Pass   |
| Etoazole           | 0.05 | 0.20  | ND     | Pass   |
| Fenhexamid         | 0.05 | 1.00  | ND     | Pass   |
| Fenoxycarb         | 0.05 | 0.20  | ND     | Pass   |
| Fenpyroximate      | 0.05 | 0.40  | ND     | Pass   |
| Fipronil           | 0.05 | 0.40  | ND     | Pass   |
| Flonicamid         | 0.05 | 1.00  | ND     | Pass   |
| Fludioxonil        | 0.05 | 0.40  | ND     | Pass   |
| Hexythiazox        | 0.05 | 1.00  | ND     | Pass   |
| Imazalil           | 0.05 | 0.20  | ND     | Pass   |
| Imidacloprid       | 0.05 | 0.40  | ND     | Pass   |
| Indolebutyric Acid | 0.05 | 1.00  | ND     | Pass   |
| Jasmolin 1         |      |       | ND     | Tested |
| Kresoxim Methyl    | 0.05 | 0.40  | ND     | Pass   |
| Malathion          | 0.05 | 0.20  | ND     | Pass   |
| Metalaxyl          | 0.05 | 0.20  | ND     | Pass   |
| Methiocarb         | 0.05 | 0.20  | ND     | Pass   |
| Methomyl           | 0.05 | 0.40  | ND     | Pass   |
| Methyl Parathion   | 0.10 | 0.20  | ND     | Pass   |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
 GC Method: MTHD-008 GC Date Tested: 03/26/2025 22:00  
 LC Method: MTHD-009 LC Date Tested: 03/27/2025 20:26  
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
 ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
<http://www.drstesting.com>  
 Lic# OCM-CPL-2022-00011



Amanda Thorning  
 Laboratory Director

Violet Josik  
 Quality Assurance Officer



Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
 Powered by Confident LIMS  
 6 of 8

## Central Processors NY, LLC

Contact Person: Matthew Barry  
 East Syracuse, NY 13057  
 mattb@centralprocessorsny.com  
 (315) 937-5118  
 Lic. #OCM-PROC-24-000061

## Sample: 2503RLI0221-0824

Strain: Pressure  
 Batch#: WF-PRS-0002; Batch Size: 7800 g  
 Sample Received: 03/25/2025; Report Created: 03/31/2025;

High Peaks Pressure - 3.5g  
 Plant, Flower - Cured, Greenhouse

### Sampling

Sample Collection Date/Time: 03/25/25 13:40  
 Sample Collection Site: Central Processors NY  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte                 | LOQ  | Limit | Result | Status |
|-------------------------|------|-------|--------|--------|
|                         | PPM  | PPM   | PPM    |        |
| Mevinphos               | 0.05 | 1.00  | ND     | Pass   |
| MGK-264                 | 0.05 | 0.20  | ND     | Pass   |
| Myclobutanil            | 0.05 | 0.20  | ND     | Pass   |
| Naled                   | 0.05 | 0.50  | ND     | Pass   |
| Oxamyl                  | 0.05 | 1.00  | ND     | Pass   |
| Paclobutrazol           | 0.05 | 0.40  | ND     | Pass   |
| Pentachloronitrobenzene | 0.50 | 1.00  | ND     | Pass   |
| Permethrins             | 0.05 | 0.20  | ND     | Pass   |
| Phosmet                 | 0.05 | 0.20  | ND     | Pass   |
| Piperonyl Butoxide      | 0.05 | 2.00  | ND     | Pass   |
| Prallethrin             | 0.05 | 0.20  | ND     | Pass   |
| Propiconazole           | 0.05 | 0.40  | ND     | Pass   |
| Propoxur                | 0.05 | 0.20  | ND     | Pass   |
| Pyrethrin 1             |      |       | ND     | Tested |
| Pyrethrin 2             |      |       | ND     | Tested |
| Pyrethrins              | 0.05 | 1.00  | ND     | Pass   |
| Pyridaben               | 0.05 | 0.20  | ND     | Pass   |
| Spinetoram              | 0.05 | 1.00  | ND     | Pass   |
| Spinetoram J            |      |       | ND     | Tested |
| Spinetoram L            |      |       | ND     | Tested |
| Spinosad                | 0.05 | 0.20  | ND     | Pass   |
| Spinosyn A              |      |       | ND     | Tested |
| Spinosyn D              |      |       | ND     | Tested |
| Spiromesifen            | 0.05 | 0.20  | ND     | Pass   |
| Spirotetramat           | 0.05 | 0.20  | ND     | Pass   |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
 GC Method: MTHD-008 GC Date Tested: 03/26/2025 22:00  
 LC Method: MTHD-009 LC Date Tested: 03/27/2025 20:26  
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
 ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
<http://www.drstesting.com>  
 Lic# OCM-CPL-2022-00011



Amanda Thorning  
 Laboratory Director

Violet Josik  
 Quality Assurance Officer



Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
 Powered by Confident LIMS  
 7 of 8

## Central Processors NY, LLC

Contact Person: Matthew Barry  
 East Syracuse, NY 13057  
 mattb@centralprocessorsny.com  
 (315) 937-5118  
 Lic. #OCM-PROC-24-000061

## Sample: 2503RLI0221-0824

Strain: Pressure  
 Batch#: WF-PRS-0002; Batch Size: 7800 g  
 Sample Received: 03/25/2025; Report Created: 03/31/2025;

High Peaks Pressure - 3.5g  
 Plant, Flower - Cured, Greenhouse

### Sampling

Sample Collection Date/Time: 03/25/25 13:40  
 Sample Collection Site: Central Processors NY  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte         | LOQ  | Limit | Result | Status |
|-----------------|------|-------|--------|--------|
|                 | PPM  | PPM   | PPM    |        |
| Spiroxamine     | 0.05 | 0.20  | ND     | Pass   |
| Tebuconazole    | 0.05 | 0.40  | ND     | Pass   |
| Thiacloprid     | 0.05 | 0.20  | ND     | Pass   |
| Thiamethoxam    | 0.05 | 0.20  | ND     | Pass   |
| Trifloxystrobin | 0.05 | 0.20  | ND     | Pass   |

Entered By: AT, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003  
 GC Method: MTHD-008 GC Date Tested: 03/26/2025 22:00  
 LC Method: MTHD-009 LC Date Tested: 03/27/2025 20:26  
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
 ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
<http://www.drstesting.com>  
 Lic# OCM-CPL-2022-00011



Amanda Thorning  
 Laboratory Director

Violet Josik  
 Quality Assurance Officer



Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
 Powered by Confident LIMS  
 8 of 8

## Central Processors NY, LLC

Contact Person: Matthew Barry  
 East Syracuse, NY 13057  
 mattb@centralprocessorsny.com  
 (315) 937-5118  
 Lic. #OCM-PROC-24-000061

Sample: 2503RLI0221-0824

Strain: Pressure  
 Batch#: WF-PRS-0002; Batch Size: 7800 g  
 Sample Received: 03/25/2025; Report Created: 03/31/2025;

High Peaks Pressure - 3.5g  
 Plant, Flower - Cured, Greenhouse

### Sampling

Sample Collection Date/Time: 03/25/25 13:40  
 Sample Collection Site: Central Processors NY  
 Sampling Firm: DRS Testing  
 Sampling Method: MTHD-014  
 Sampling Notes/Deviations:

Moisture Date/Time Tested: 03/26/2025; 11:08  
 Moisture Method: MTHD-003

Water Activity Date/Time Tested: 03/27/2025; 09:33  
 Water Activity Method: MTHD-002

**0.40 aw**  
 Limit: 0.65 aw  
Pass  
**Water Activity**

**12.5%**  
 Limit: 15.0 %  
Pass  
**Moisture**

### Foreign Matter

Foreign Matter Method: MTHD-004  
 Foreign Matter Date/Time Tested: 03/28/2025; 16:19

Pass

| Analyte          | Limit    | Result | Status |
|------------------|----------|--------|--------|
| Mammal Excrement | 0.00022% | 0      | Pass   |
| FM Stems         | 5%       | 0      | Pass   |
| FM Other         | 2%       | 0      | Pass   |

DRS Testing  
 28 Best Street  
 Buffalo, NY  
 (716) 503-8147  
<http://www.drstesting.com>  
 Lic# OCM-CPL-2022-00011



Amanda Thorning  
 Laboratory Director

Violet Josik  
 Quality Assurance Officer



Confident LIMS  
 All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
 (866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.